



6742W

MINI HANDSFREE BM WIFI MONITOR, VIP



Handsfree colour monitor for ViP system. With integral Wi-Fi port and gateway for forwarding video entry phone calls to smartphones and tablets equipped with the Comelit app. 4.3" / 16:9 colour screen. 480x272 pixel resolution. H264 video format. All the main functions and programming operations can be performed from a graphic menu that can be navigated using the function keys. Equipped with 8 soft-touch keys: audio activation key with LED to signal incoming calls, lock-release key with door open indicator LED, Privacy function key with Led indicating ringtone excluded and Doctor function enabled, 4 programmable keys and 1 menu access key. Equipped with 3 programmable inputs. Adjustable backlight brightness and key feedback volume. Powered by PoE as standard or from ViP Comelit switches and power supply units. Includes induction loop with T position for users wearing hearing aids and answerphone function. Dimensions: 115x160x22mm.

AWARDS

DESIGN
MILANO





6742W

MINI HANDSFREE BM WIFI MONITOR, VIP

MAIN FEATURES

| | |
|---|-----------|
| Audio/video system: | Yes |
| Wall-mounted: | Yes |
| Desk base-mounted: | Yes |
| Hands-free function: | Yes |
| Induction loop function: | Yes |
| Type of display: | LCD |
| Display size (inch): | 4,3" 16:9 |
| Display resolution HxV (mm): | 480x272 |
| B/W or colour display: | Color |
| Product colour: | White |
| Sensitive Touch technology: | Yes |
| Total buttons: | 8 |
| LED signaling (no.): | 4 |
| Wi-Fi Port: | Yes |
| Comaptibility with Video Entry Comelit App: | Yes |

FUNCTIONS

| | |
|-----------------------------|-----|
| Actuator control function: | Yes |
| Self-ignition: | Yes |
| Switchboard call function: | Yes |
| Priority calls: | Yes |
| Intercom function: | Yes |
| Selective intercom call: | Yes |
| Call to multiple addresses: | Yes |
| Call to group addresses: | Yes |
| Call forwarding: | Yes |
| Privacy function: | Yes |
| Doctor: | Yes |
| Floor door call function: | Yes |
| Electronic bell: | Yes |
| Customisable ringtone: | Yes |
| Viewer energy consumption: | Yes |
| Alarm function: | Yes |
| Receiving text messages: | Yes |
| Images reception: | Yes |
| Sending emails on event: | Yes |
| Key button function: | Yes |

HARDWARE SPECIFICATIONS

| | |
|-----------------|---------|
| Type of finish: | Plastic |
|-----------------|---------|



6742W

MINI HANDSFREE BM WIFI MONITOR, VIP

SETTINGS

| | |
|-----------------------------|-----|
| Loudspeaker volume control: | Yes |
| Ringtone volume control: | Yes |
| Backlighting display: | Yes |

GENERAL DATA

| | |
|----------------------|-----|
| Product height (mm): | 160 |
| Product width (mm): | 115 |
| Product depth (mm): | 22 |

COMPATIBILITY

| | |
|-------------|-----|
| Vip system: | Yes |
|-------------|-----|

TECHNICAL CHARACTERISTICS

| | |
|---------------------------------------|--------------|
| Power supply voltage: | 36 ÷ 57 |
| POE power supply: | Yes |
| Absorption in stand-by (mA): | 48 |
| Absorption during call (mA): | 61 |
| Absorption during communication (mA): | 64 |
| IP protection rating: | IP30 |
| Operating temperature (°C): | 5 ÷ 40 |
| RH max operating humidity (%): | 25 ÷ 75 |
| Video encoding: | H.264 |
| Product weight (g): | 300 |
| Clamps: | -IN1 IN2 IN3 |



6742W

MINI HANDSFREE BM WIFI MONITOR, VIP

ACCESSORIES



6711WV

ADAPTER PLATE FOR MINI HANDSFREE


Adapter plate to finish the installation of the Mini Handsfree monitor in case of replacement of flush-mounted or wall-mounted Planux, Smart and Icona monitors. White color. Dimensions: 170x220x3 mm.



6710

BACKPLATE AND DISTRIBUTION TERMINAL FOR MINI MONITOR

Wall-mounting or residential series box backplate for MINI monitor, /BM versions with handset featuring magnetic induction for hearing aid wearers. Also includes riser distribution terminal Art. 1214/2C. Dimensions 145x100x4 mm.



6734W

ADD. BUTTONS KIT HANDS-FREE MINI MONITOR, WHITE

Accessory for conversion of the monitors of the Mini series Art 6721W and 6721W/BM into 8-button versions. Includes an 8-button faceplate and an electronic module for button activation, which can be installed quickly without the need to open the monitor casing.



6720

BRCKT FOR ROUTING EXT. CABLES. HANDSFREE MINI

Wall support bracket for handsfree Mini monitor allowing thru-routing of external cables. Dimensions: 106.3x149.60x19mm.



6720V

Bracket for routing Mini HF VIP external cables

Wall bracket for ViP system hands-free Mini monitor; allows through-routing of external cables.



6732A

DESK BASE FOR MINI HF MONITOR. SBTOP



6742W

MINI HANDSFREE BM WIFI MONITOR, VIP

ACCESSORIES



6732V

DESK BASE FOR MINI HF MONITOR. VIP

Desk base for desktop conversion of ViP system hands-free Mini monitor. Complete with 1x 2 metre cable with RJ45 connector to connect monitor terminals to the coupler or residential series socket.