

## DH-IPC-E200

---

### 2Megapixel Full HD Network Fish-Eye Camera



#### Features

- 1/3" 2Megapixel progressive scan Exmor CMOS
- H.264 & MJPEG dual-stream encoding
- Max25/30fps@1080P&25/30fps@SXGA&25/30fps@720P(1280×720)
- Day/Night, 2DNR, AWB, AGC, BLC
- Multiple network monitoring: Web viewer, CMS(DSS/PSS) & DMSS
- 1.25mm Fish-Eye lens
- DC12V, PoE

# DH-IPC-E200


## Technical Specifications

Model	DH-IPC-E200P		DH-IPC-E200N	
<b>Camera</b>				
Image Sensor	1/3" 2Megapixel Exmor CMOS			
Effective Pixels	1920(H)x1080(V)			
Scanning System	Progressive			
Electronic Shutter Speed	Auto/Manual 1/3~1/10000		Auto/Manual 1/4~1/10000	
Min. Illumination	Color: 0. 1LUX/F1.4			
S/N Ratio	>50dB			
<b>Camera Features</b>				
Day/Night	Auto(Electronic) / Color / B/W			
Backlight Compensation	BLC			
White Balance	Auto			
Gain Control	Auto/Manual			
Noise Reduction	2D			
Privacy Masking	Up to 4 areas			
<b>Lens</b>				
Focal Length	1.25mm			
Max Aperture	F1.8			
Angle of View	H: 180° ±5°			
Mount Type	Board-in Type			
<b>Video</b>				
Compression	H.264 / MJPEG			
Resolution	1080P(1920×1080)/ SXGA(1280×1024)720P(1280× 720)/ D1(704×576) / CIF(352×288)/		1080P(1920×1080)/ SXGA(1280×1024)720P(1280×72 0)/ D1(704×576) / CIF(352×288)/	
Frame Rate	Main Stream	1080P(1~30fps)/SXGA(1~30fps)/720P(1 ~ 25/30fps)		
	Sub Stream	D1/CIF(1 ~ 25/30fps)		
Bit Rate	H.264: 32K ~ 8192Kbps, MJPEG: 32K ~ 12288Kbps			
<b>Network</b>				
Ethernet	RJ-45 (10/100Base-T)			
Protocol	IPv4/IPv6, HTTP, HTTPS, SSL, TCP/IP, UDP, UPnP, ICMP, IGMP, SNMP, RTSP, RTP, SMTP, NTP, DHCP, DNS, PPPOE, DDNS, FTP, IP Filter, QoS, Bonjour			
ONVIF	ONVIF Profile S			
Max. User Access	10 users			
Smart Phone	iPhone, iPad, Android, Windows Phone			
<b>General</b>				
Power Supply	DC12V, PoE(802.3af)			
Memory Slot	Micro SD			
Power Consumption	<2.5W			

## DH-IPC-E200

Working Environment	-10°C~+60°C, 10%~90%
Dimensions	Φ110×54mm
Weight	0.25kg

### Dimensions (mm)



---

#### Dahua Technology Co., Ltd.

1187 BinAn Road, Binjiang District, Hangzhou, China

Tel: +86-571-87688883

Fax: +86-571-87688815

Email:overseas@dahuatech.com

www.dahuatech.com

\*Design and specifications are subject to change without notice.

© 2012 Dahua Technology Co., Ltd.