

Výkonové parametry videorekordérů série HCVR-S3 a XVR

Model	Kodování	Max. dekódovací výkon	Přehrávání	Max. vstůpů IP kamer	Síťová propustnost	Max. rozlišení IP kamer
XVR4x04 HCVR4x04-S3	1080P hybrid vstup 1, 4-k @720P(30fps) 2, 4-k @1080N(30fps) 3, 4-k @960H(30fps)	1080P@38fps 720P@85fps	4-k : 1, 1-k @1080N(30fps)+3-k @1080N(15fps) 2, 1-k @720P(30fps) +3-k @720P(15fps) 3, 1-k @960H(30fps) +3-k @960H(15fps) 4, 1-k @1080P(30fps) +3-k @1080P(1fps) 1-k : 1, 1-k @1080P/1080N/720P@30fps	5-k @20Mbps	5-k @20Mbps	Všechny kanály podporují IP/analog, podpora až 4+1 IP kamera s rozlišením až 5Mp
XVR4x08	1080P hybrid vstup 1, 1-k @1080N(30fps)+7-k @1080N(12fps) 2, 1-k @960H(30fps)+7-k @960H(12fps) 720P and 960H hybrid vstup 1, 1-k @720P(30fps)+7-k @720P(15fps) 2, 1-k @960H(30fps)+7-k @960H(15fps)	1080P@40fps 720P@90fps	8-k : 1, 1-k @1080N(30fps)+7-k @1080N(7fps) 2, 1-k @720P(30fps)+7-k @720P(7fps) 3, 1-k @960H(30fps)+7-k @960H(7fps) 4, 1-k @1080P(30fps) +7-k @1080P(1fps) 4-k : 1, 1-k @1080N(30fps)+3-k @1080N(15fps) 2, 1-k @720P(30fps)+3-k @720P(15fps) 3, 1-k @960H(30fps)+7-k @960H(15fps) 4, 1-k @1080P(30fps) +3-k @1080P(1fps) 1-k : 1, 1-k @1080P/1080N/720P@30fps	10-k @40Mbps	10-k @40Mbps	Všechny kanály podporují IP/analog, podpora až 8 +2 IP kamera s rozlišením až 5Mp
XVR4x16	1080P hybrid vstup 1, 1-k @1080N(30fps)+15-k @1080N(12fps) 2, 1-k @960H(30fps)+15-k @960H(12fps) 720P and 960H hybrid vstup 1, 1-k @720P(30fps)+15-k @720P(15fps) 2, 1-k @960H(30fps)+15-k @960H(15fps)	1080P@68fps 720P@153fps	16-k : 1, 1-k @1080N(30fps)+15-k @1080N(7fps) 2, 1-k @720P(30fps)+15-k @720P(7fps) 3, 1-k @960H30fps+15-k @960H(7fps) 8-k : 1, 1-k @1080N(30fps)+7-k @1080N(15fps) 2, 1-k @720P(30fps)+7-k @720P(15fps) 3, 1-k @960H30fps+7-k @960H(15fps) 4, 1-k @1080P(30fps) +7-k @1080P(1fps) 4-k : 1, 4-k @1080N(30fps) 2, 4-k @720P(30fps) 3, 4-k @960H30fps 4, 1-k @1080P(30fps) +3-k @1080P(1fps) 1-k : 1, 1-k @5Mp/1080P/1080N/720P@30fps	18-k @72Mbps	18-k @72Mbps	Všechny kanály podporují IP/analog, podpora až 16 +2 IP kamera s rozlišením až 5Mp

XVR5x04	1、4-k @720P(30fps) 2、4-k @1080N(30fps) 3、4-k @1080P(15fps) 4、1-k @1080P(30fps)+3-k @1080P(7fps)	1080P@51fps 720P@114fps	4-k : 1、1-k @1080P@30fps+3-k @1080P(7fps) 2、1-k @1080N@30fps+3-k @1080N(15fps) 3、1-k @720P@30fps+3-k @720P(15fps) 4、1-k @960H@30fps+3-k @960H(15fps) 1-k : 1、1-k @5Mp/1080P/1080N/720P@30fps	6-k @24Mbps	6-k @24Mbps	Všechny kanály podporují IP/analog, podpora až 4+2 IP kamera s rozlišením až 5Mp
XVR5x08 HCVR5x08-S3	1、8-k @720P(30fps) 2、8-k @1080N(30fps) 3、8-k @1080P(15fps) 4、2-k @1080P(30fps)+6-k @1080P(7fps)	1080P@87fps 720P@195fps	8-k : 1、1-k @720P(30fps)+7-k @720P(30fps) 2、1-k @1080N(30fps)+7-k @1080N(30fps) 3、1-k @1080P(30fps)+7-k @1080P(7fps) 4-k : 1、4-k @720P(30fps) 2、4-k @1080N(30fps) 3、1-k @1080P(30fps)+3-k @1080P(15fps) 1-k : 1、1-k @5Mp/1080P/1080N/720P@30fps	12-k @48Mbps	12-k @48Mbps	Všechny kanály podporují IP/analog, podpora až 8 +4 IP kamera s rozlišením až 5Mp
XVR5x16	1、16-k @720P(30fps) 2、16-k @1080N(30fps) 3、16-k @1080P(15fps) 4、4-k @1080P(30fps)+12-k @1080P(7fps)	1080P@135fps 720P@303fps	16-k : 1、1-k @720P(30fps)+15-k @720P(15fps) 2、1-k @1080N(30fps)+15-k @1080N(15fps) 3、1-k @1080P(30fps)+15-k @1080P(7fps) 8-k : 1、8-k @720P(30fps) 2、8-k @1080N(30fps) 3、1-k @1080P(30fps)+7-k @1080P(15fps) 4-k : 1、4-k @1080P/1080N/720P(30fps) 1-k : 1、1-k @5Mp/1080P/1080N/720P@30fps	24-k @96Mbps	24-k @96Mbps	Všechny kanály podporují IP/analog, podpora až 16 +8 IP kamera s rozlišením až 5Mp
XVR7x04 HCVR7x04-S3	1、4-k @1080P(30fps)	75*1080P	4-k : 1、4-k @720P(30fps) 2、1-k @1080P(30fps)+3-k @1080P(15fps) 1-k : 1、1-k @5Mp/1080P/720P@30fps	6-k @24Mbps	6-k @24Mbps	Všechny kanály podporují IP/analog, podpora až 4+2 IP kamera s rozlišením až 5Mp

XVR7x08	1, 8-k @1080P(30fps)	135*1080P 720P@303fps	8-k : 1, 8-k @720P(30fps) 2, 1-k @1080P(30fps)+7-k @1080P(15fps) 4-k : 1, 4-k @1080P/720P(30fps) 1-k : 1, 1-k @5Mp/1080P/720P@30fps	12-k @48Mbps	12-k @48Mbps	Všechny kanály podporují IP/analog, podpora až 8 +4 IP kamera s rozlišením až 5Mp
XVR7x16	1, 16-k @1080P(30fps)	135*1080P 720P@303fps	16-k : 1, 1-k @720P(30fps)+15-k @720P(15fps) 2, 1-k @1080P(30fps)+15-k @1080P(1fps) 8-k : 1, 8-k @720P(30fps) 2, 1-k @1080P(30fps)+7-k @1080P(15fps) 4-k : 1, 4-k @1080P/720P(30fps) 1-k : 1, 1-k @5Mp/1080P/720P@30fps	24-k @96Mbps	24-k @96Mbps	Všechny kanály podporují IP/analog, podpora až 16 +8 IP kamera s rozlišením až 5Mp